

	Hits	Search Text	DBs
1	2786	generat\$5 near5 (horizontal adj4 synchro\$6)	USPAT; US-PGPUB
2	0	((generat\$5 near5 (horizontal adj4 synchro\$6)) near5 (analog adj3 signal)) with ((digital LCD) adj3 display)	USPAT; US-PGPUB
3	0	((generat\$5 near5 (horizontal adj4 synchro\$6)) near5 (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB
4	1	((generat\$5 near5 (horizontal adj4 synchro\$6)) with (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB
5	0	((generat\$5 near5 (horizontal adj4 synchro\$6)) near5 (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	1	generat\$5 near5 (horizontal adj4 synchro\$6) and (phase adj4 disper\$5)	USPAT; US-PGPUB
7	1	generat\$5 near5 (horizontal adj4 synchro\$6) and (transition adj4 zone)	USPAT; US-PGPUB
8	378	generat\$5 near5 (horizontal adj4 synchro\$6) and (remainder gap)	USPAT; US-PGPUB
9	22	generat\$5 near5 (horizontal adj4 synchro\$6) and (remainder and gap)	USPAT; US-PGPUB
10	1	((generat\$5 near5 (horizontal adj4 (pulse synchro\$6))) with (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB
11	2	((generat\$5 near5 (horizontal adj4 (pulse synchro\$6 clock))) with (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB
12	4	((generat\$5 near5 ((horizontal pixel) adj4 (pulse synchro\$6 clock))) with (analog adj3 signal)) same ((digital LCD) adj3 display)	USPAT; US-PGPUB
13	97	generat\$5 near5 (horizontal adj4 synchro\$6) with (analog adj3 signal)	USPAT; US-PGPUB
14	1	generat\$5 near5 (horizontal adj4 synchro\$6) with (analog adj3 signal) same (digital adj3 display)	USPAT; US-PGPUB
15	0	auto\$1generat\$5 near5 (horizontal adj4 synchro\$6) with (analog adj3 signal) same (digital adj3 display)	USPAT; US-PGPUB
16	31	generat\$5 near5 (horizontal adj4 synchro\$6) with (analog adj3 signal) same (display)	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	116	(generat\$5 near5 (horizontal adj4 synchro\$6)) with (analog adj4 (signal input))	USPAT; US-PGPUB
18	25	(generat\$5 near5 (horizontal adj4 synchro\$6)) with (analog adj4 (signal input)) with display	USPAT; US-PGPUB
19	97	(generat\$5 restoration creation) near5 (horizontal adj4 synchro\$6) with (analog adj3 signal)	USPAT; US-PGPUB
20	97	((generat\$5 restoration creation) near5 (horizontal adj4 synchro\$6)) with (analog adj3 signal)	USPAT; US-PGPUB
21	33	((((generat\$5 restoration creation) near5 (horizontal adj4 synchro\$6)) with (analog adj3 signal)) same (display LCD)	USPAT; US-PGPUB
22	6	((((generat\$5 restoration creation) adj (horizontal adj4 synchro\$6)) with (analog adj3 signal)) same (display LCD)	USPAT; US-PGPUB
23	22	((((generat\$5 restoration creation) adj5 (horizontal adj4 synchro\$6)) with (analog adj3 signal)) same (display LCD)	USPAT; US-PGPUB
24	2	((((generat\$5 restoration creation) adj5 (horizontal adj4 synchro\$6 adj4 pulse)) with (analog adj3 signal)) same (display LCD)	USPAT; US-PGPUB
25	21	((((generat\$5 restoration creation) adj5 (horizontal adj4 synchro\$6 adj4 (pulse signal voltage edge))) with (analog adj3 signal)) same (display LCD)	USPAT; US-PGPUB
26	26940	(clock synchro\$6) near5 (generation recover\$5)	USPAT; US-PGPUB
27	11967	(clock synchro\$6) adj (generation recover\$5)	USPAT; US-PGPUB
28	6287	((clock synchro\$6) near5 (generation recover\$5)) and (remainder gap)	USPAT; US-PGPUB
29	729	((clock synchro\$6) near5 (generation recover\$5)) and (remainder and gap)	USPAT; US-PGPUB
30	197	((clock synchro\$6) near5 (generation recover\$5)) and (remainder and gap) and spread	USPAT; US-PGPUB
31	0	((clock synchro\$6) near5 (generation recover\$5)) and ((remainder near5 spread) and gap)	USPAT; US-PGPUB

	Hits	Search Text	DBs
32	2	((clock synchro\$6) near5 (generation recover\$5)) and ((remainder near5 spread))	USPAT; US-PGPUB
33	6	((clock synchro\$6) near5 (generation recover\$5)) and ((remainder with spread))	USPAT; US-PGPUB
34	0	((clock synchro\$6) near5 (generation recover\$5)) with (remainder and gap) with spread	USPAT; US-PGPUB
35	5	((clock synchro\$6) adj5 (generation recover\$5)) and ((remainder with spread))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	72	((clock synchro\$6) adj5 (generation recover\$5)) and ((feature) with spread)	USPAT; US-PGPUB
37	76	((clock synchro\$6) adj5 (generation recover\$5)) and ((remainder feature) with spread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	76	((clock synchro\$6) adj5 (generation recover\$5)) and ((remainder feature) with spread)	USPAT; US-PGPUB
39	435	((clock synchro\$6) adj2 (generation recover\$5)) and (remainder and gap)	USPAT; US-PGPUB
40	263	((clock synchro\$6) adj2 (generation recover\$5)) and (remainder and gap) and edge and phase	USPAT; US-PGPUB
41	231	((clock synchro\$6) adj2 (generation recover\$5)) and (remainder and gap) and edge and phase and transition	USPAT; US-PGPUB
42	0	((clock synchro\$6) adj2 (generation recover\$5)) and (remainder and gap) and edge and phase and (transition adj3 zone)	USPAT; US-PGPUB
43	7	((clock synchro\$6) adj2 (generation recover\$5)) and (remainder and gap) and (number adj3 edge) and phase	USPAT; US-PGPUB
44	5	((clock synchro\$6) adj2 (generation recover\$5)) with ((number adj3 edge) and phase)	USPAT; US-PGPUB
45	9	((clock synchro\$6) adj2 (generation recover\$5)) same ((number adj3 edge) and phase)	USPAT; US-PGPUB
46	11	((clock synchro\$6) adj2 (generation recover\$5)) same ((number adj3 edge) and phase)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	2	((clock synchro\$6) adj2 (generation recover\$5)) same ((number adj3 edge) and random\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	24	((clock synchro\$6) adj2 (generation recover\$5)) and (transition adj2 zone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	1	20030052871.pn.	USPAT; US-PGPUB
50	445	(348/94,531,540,546).CCLS.	USPAT; US-PGPUB
51	137	(348/94).CCLS.	USPAT; US-PGPUB
52	36	((348/94,531,540,546).CCLS.) and ((clock synch\$5) with (generation recovery))	USPAT; US-PGPUB
53	35420	((clock synch\$5) with (generation recovery))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	17880	((clock synch\$5) adj2 (generation recovery))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	635	((clock synch\$5) with (generation recovery)) and remainder and gap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	661	((clock synch\$5) with (generation recovery)) and remainder and gap and (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	0	((clock synch\$5) with (generation recovery)) with remainder with gap with (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	1841	((clock synch\$5) with (generation recovery)) with (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	3	((clock synch\$5) with (generation recovery)) with remainder with (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	7	((clock synch\$5) with (generation recovery)) with (remainder gap) with (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	8	((clock synch\$5) with (generation recovery)) with (phase near5 change) with (edge feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	0	20030214335.URPN.	USPAT
63	6	5798996.URPN.	USPAT

	Hits	Search Text	DBs
64	2	4972443.URPN.	USPAT
65	8	5161173.URPN.	USPAT
66	8	((clock synch\$5) with (generation recovery)) with (phase near5 change) with (edge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	47	((clock synch\$5) with (generation recovery)) same (phase near5 change) same (edge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	47	((((clock synch\$5) with (generation recovery)) same (phase near5 change) same (edge)) not 5161173.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	479	(345/213).CCLS.	USPAT
70	374	((345/213).CCLS.) and clock	USPAT
71	347	((345/213).CCLS.) and ((clock synchroni\$7) with (genera\$7 restora\$7))	USPAT
72	275	((345/213).CCLS.) and ((clock) with (genera\$7 restora\$7))	USPAT
73	275	((345/213).CCLS.) and ((clock) with (genera\$7))	USPAT
74	1	6452592.URPN.	USPAT
75	12	("4638358"   "RE34810"   "5686933"   "5687202"   "5706035"   "5796392"   "5841430"   "5926174"   "6034735"   "6037921"   "6046737"   "6310618").PN.	USPAT
76	571	(345/211).CCLS.	USPAT
77	133	((345/211).CCLS.) and ((clock) with (genera\$7))	USPAT
78	2191	(genera\$5 synchroni\$7) with (clock pixel) with coordinate	USPAT
79	4	(genera\$5 synchroni\$7) with (clock pixel) with coordinate with remainder	USPAT
80	7	(genera\$5 synchroni\$7) with (clock pixel) with coordinate with remainder	USPAT; US-PGPUB; EPO; JPO; DERWENT
81	1	(genera\$5 synchroni\$7) with (clock pixel) with coordinate with remainder with gap	USPAT; US-PGPUB; EPO; JPO; DERWENT
82	8	coordinate with remainder with gap	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
83	1	(genera\$5 synchroni\$7) same (clock pixel) same coordinate with remainder with gap	USPAT; US-PGPUB; EPO; JPO; DERWENT
84	1	(genera\$5 synchroni\$7) same (clock pixel) same coordinate same remainder same gap	USPAT; US-PGPUB; EPO; JPO; DERWENT
85	778	(345/204).CCLS.	USPAT
86	334	(345/55).CCLS.	USPAT
87	186	(345/50).CCLS.	USPAT
88	357	(345/99).CCLS.	USPAT
89	327	(348/536).CCLS.	USPAT
90	239	(348/537).CCLS.	USPAT
91	222	(348/540).CCLS.	USPAT
92	429	(375/326).CCLS.	USPAT
93	1539	(375/376).CCLS.	USPAT